

A broad spectrum for a wide range of disease in potatoes and tomatoes

## ACTIVE INGREDIENT

Contains 800g of mancozeb per kilo

## FORMULATION

Wettable powder

## MODE OF ACTION

It is a contact fungicide with protectant action. It's applied in preventive spray programme before disease sets in. Thorough coverage of foliage is necessary for good results.

Ivory 80wp forms a slight film on the surface of the plant and gradually releases several degradation compounds. It's active against spore germination.

### RECOMMENDATION/ RATES OF USE

CROP	DISEASE	RATE	COMMENTS
Potatoes, Potatoes and other vegetables	Early and late blight, rust Downy mildew, Anthracose, Alternaria leaf spots, Septoria leaf spots	250g/100lts water or 50/20lts water	Apply as first sign of disease. Repeat 7-10 days intervals depending on weather conditions
Ornamentals	Grey mould, Blight, Downy mildew, rust and leaf blotch	250g/100lts water	Apply preventatively throughout the season
Fruits	Downy mildew, Black Spot and Greasy Spot, Scab, Black and Bitter rot, Rust mite	250g/100lts water	Apply when shoots are 10-15cm long and continue up to fruit set. For rust mite start application when pest threatens
Tobacco	Blue mold	100g/150lts water	Use a rate of 1.5-3lts/m <sup>2</sup> of seedbed.

## COMPATIBILITY

Ivory 80wp is compatible with most commonly used agricultural fungicides, insecticides, miticides and growth regulators.

## ADVANTAGES

- Broad spectrum preventive fungicide for use in many crops.
- Does not accumulate in the environment. Ivory 80wp is easily degraded by chemical process on plant surface and by biochemical processes in plant, animal and soil micro-organisms.

## PACK SIZES AVAILABLE

5kgs, 2kgs, 1kg, 500gm, 200gm, 100gm

## SAFETY PRECAUTION

-This product may cause skin, eye, or nasal irritations. Prolonged contact may cause irritability. Dust can irritate the nose and the throat. Moderately irritating to the eyes.

-Avoid inhaling and avoid skin contact by wearing neoprene or PVC gloves, overalls.

Do not eat, drink or smoke whilst or after handling this product until you have washed hands and face with plenty of clean water and soap.

## FIRST AID INSTRUCTION

-Move the patient to fresh air away from areas where the chemicals are being used.

-Remove contaminated clothing immediately and wash the skin with plenty of soap and water.

-If eyes are infected, flush with large amount of water for 15 minutes.

-If irritation persists, see a doctor.

-Keep the patient warm and comfortable. If accidentally swallowed, dilute by giving two glasses of water. Call a doctor immediately or move patient to nearest health facility.

-Take the label with you to show to the doctor.

-Never give anything by mouth to an unconscious person. If still conscious induce vomiting. Do not give milk to drink.

## TOXOCOLOGICAL INFORMATION

Symptoms of poisoning

Carbonates can cause abdominal cramps, vomiting, nausea and local mucosal irritation.

## NOTES TO THE DOCTOR

Incase of ingestion induce vomiting

Perform gastric lavage and administer saline purgative

Treat symptomatically. Contra-indications-alcohol, fats.