

Score[®] 250 EC

Systemic, broad spectrum fungicide for long preventative and strong curative disease control in various vegetables, beans, roses and carnations.

REGISTRATION NO. PCPB(T) 0021

Emulsifiable concentrate

GUARANTEE: Difenconazole 250 g/lit.

KEEP LOCKED OUT OF REACH OF CHILDREN

**COMMERCIAL AND AGRICULTURAL CLASS
READ THE LABEL AND ATTACHED LEAFLET BEFORE USE**

Shelf Life: At least 2 years from date of manufacture in original unopened containers.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

® = registered trademark of a Syngenta Group Company
Manufactured by: Syngenta Crop Protection AG, Basel, Switzerland

Distributor:

Syngenta East Africa Ltd
P. O. Box 30393
00100 - NAIROBI - KENYA
Tel: 254-020-532750/532983
Fax: 254-020-532753/535456

MEMBER OF
AGROCHEMICALS
ASSOCIATION OF KENYA
MEMBERSHIP NO. 226



syngenta

Colour band: GREEN



Mode of Action

SCORE is taken up by the plant and acts on the fungal pathogen during penetration and haustoria formation. It stops development of the fungi by interfering with the biosynthesis of sterols in cell membranes. Although the mode of action permits protective and curative use, it is recommended to apply the product early enough to avoid irreversible crop damage and build up of the disease.

Spectrum of Activity

The strength of SCORE is its excellent activity on a wide range of ornamental diseases, such as ring spots, rusts, botrytis, and vegetable diseases.

Mixing and treatment procedure

Fill the spray tank with half the required volume of water and start agitation. Add the required amount of product and continue agitation while adding the rest of the water and during spraying.

Timing of Application

The first spray should be timed at the onset of disease development. For ornamental diseases, a maximum of 3 time applications of SCORE are recommended as from the onset of disease. For most vegetable diseases, a maximum of 4 applications of SCORE are recommended as from the onset of disease. From the point of view of anti-resistance strategy, the repeated application of straight difenoconazole should be avoided; alternations or mixtures with fungicide(s) with different modes of action are recommended.

Crop Tolerance

When used as recommended, SCORE is well tolerated by most crops it is recommended to be used on.

Compatibility

SCORE is tank-mix compatible with major commonly used pesticides. In case of doubt a physical compatibility test should be done before spraying a large area.

Spray volumes

SCORE can be applied with any high or medium volume ground and aerial application equipment provided with sufficient agitation. Ensure that the spray equipment is properly calibrated. Spray volume can vary between 100 and 1000 lt./ha.

Pre-harvest interval

Asparagus, Cauliflower, Brussel sprouts, Cabbage, Celery	21 days
Apple, Beans, Peas	14 days
Chilli pepper, cucurbits	3 days
Garlic	7 days

DIRECTIONS FOR USE

To avoid risks to man and the environment, comply with the instructions for use.

Crop	Disease	Rate (lt./ha)	Interval (days)
<u>Ornamentals</u>			
Roses	Botrytis	0.75	10-14
	Black spot	0.5	7-10
	Rust	0.6	10-14
	Powdery mildew	0.4-0.5	7-14
Carnations	Ring spot	0.5	14
	Rusts	0.5	10-14
Eryngium	Blue thistle smut	0.15	14-21
Gladiolus	Rust	0.5	10-14
Iris	Rust	0.15	14-21
<u>Vegetables</u>			
Asparagus	Rust (Stemphylium leaf spot)	0.3-0.5	14-21
Beans	Leaf spot	0.5	7-10
	Powdery mildew	0.3	7-10
	Rust	0.3-0.5	10-14
	Anthraxnose	0.3	7
Brassicas	Ring spot	0.3-0.5	14
Carrots	Alternaria leaf blight	0.5	10-14
Cauliflower	Dark leaf spot	0.5	14
Chilli	Cercospora spot	0.5	7-10
Celery	Septoria leaf spot, Cercospora	0.3-0.5	14
Chinese cabbage	Dark and white leaf spot	0.5	14
Corn (sweet)	Rust, corn blight, grey leaf spot	0.3-0.5	14
Garlic	Blight, rust	0.3-0.5	7-10
	Powdery mildew	0.5	7-10
Cucurbits	Gummy stem blight, Anthracnose		
	Alternaria	0.4-0.5	10-14
Leek	Rust	0.5	14
Onions	Purple blotch	0.5	7-10
	Rust	0.4-0.5	10-14
	Leaf withering	0.4-0.5	7
Peas	Leaf spot(Ascochyta)	0.4-0.5	10-14
	Powdey mildew	0.5	10-14

Use 15-20 ml per 20-litre knapsack sprayer (based on a water volume of 400 lt./ha).

Operator safety

Strictly avoid all contact of concentrate or spray mixture with skin, eyes or clothing. Avoid breathing spray mist. Prolonged or repeated exposure to product may be harmful. DO NOT eat or smoke during work; wash hands and face thoroughly first. WEAR protective clothing, i.e., overalls, gloves, gumboots and face shield. When applying indoors, wear respiratory mask, hat and goggles. Immediately wash off accidental splashes of product and spray mixture. Change contaminated clothing immediately and launder before re-use. After work wash entire body thoroughly with soap and water and change to clean clothing.

Storage: Store in original tightly closed container away from sun and damp. Keep under lock and key, away from children, animals and other unauthorized persons.

Product and Container disposal

Dispose of surplus product on a landfill site approved for pesticides or bury in a safe place away from water sources. Dilute surplus application mixture, pour it broadcast on fallow land. Dispose of plastic containers in a landfill site or burn in a safe place. Do not re-use empty containers for any other purpose, especially for food, feed or storing drinking water. NB: Always comply with local legal requirements.

Spillage and Leakage

Remove heavily contaminated soil layer and bury in a safe place away from water sources. Spillages: soak up with sand, sawdust, soil or an oil-binding agent. Collect up the contaminated material and bury in a safe place or put in a waste bin or a plastic bag, mark it and dispose of on a landfill site approved for pesticides. Treat spill area with plenty of water.

Environment and Wildlife

Non-toxic to bees. Harmful to fish. Avoid contamination of water used for irrigation or domestic purposes. No risk is expected for birds and earthworms, due to the low toxicity of the compound to these organisms. Keep all livestock out of freshly treated area.

FIRST AID INSTRUCTIONS

SKIN CONTACT: Remove contaminated clothing and thoroughly wash the affected parts of the body with soap and water.

EYE CONTACT: Rinse eyes with clean water for several minutes

If poisoning is suspected, stop work immediately and call a physician. Show label to the physician. If inhaled move to clean fresh air. If swallowed, repeatedly administer medicinal charcoal in plenty of water. Seek medical advice immediately if a large volume of concentrate was ingested.

Keep the patient in a well-ventilated room and strip off contaminated clothes.

Note: Never give anything orally to an unconscious person and never induce vomiting. If any indisposition occurs stop work immediately and call a physician.

TOXICOLOGICAL INFORMATION: No case of human poisoning is on record.

WHO Class: III (unlikely to present acute hazard)

Antidote: No specific antidote is known. Apply symptomatic therapy

Notice to User

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

User's Risk

Seller's guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition. The user bears the risk for damage resulting from factors beyond the manufacturer's control. All recommendations for use of the product are based on the current state of the manufacturer's knowledge. The manufacturer warrants the quality of their product provided they are obtained in original sealed containers. Since the manufacturer cannot control the application, use, storage or processing of the product, the manufacturer cannot accept responsibility thereof.

Before using the product, please read the attached product label and accompanying packaging leaflet.

Use pesticides safely.

® = registered trademark of a Syngenta Group Company