


Glossinex 200 SC

Reg. No.
86-D-110-3



1 litre

Glossinex

PRECAUTIONS

Wear suitable protective clothing e.g. synthetic PVC gloves and face shield when handling the concentrate or applying the product.

Do not breathe spray. Avoid spray unless protected.

Wash splashes from eyes and skin immediately with plenty of water.

Wash hands and exposed skin before meals and after work. Remove heavily contaminated clothing and wash before reuse. Wash skin with plenty of water.

SYMPTOMS OF POISONING:

The effects have not been seen in man. In animals symptoms are excitation tetanic convulsions and muscular fibrillation with death from respiratory failure.

FIRST AID ADVICE:

Insecticide coming into contact with skin should be washed immediately with plenty of water.

In case of contact with eyes, rinse immediately with plenty of water.

NOTE TO PHYSICIAN

Where evidence is available that a considerable amount (above 50ml) of insecticide has been ingested it may be useful to carry out gastric lavage.

Activated charcoal may be helpful in reducing further absorption of the compound.

Diazepam may be useful in controlling hyperexcitability and/or convulsions.

Symptomatic and supportive treatment is indicated.

WARNINGS:

Unprotected persons should be excluded from indoor treatment areas until treated surfaces are dry.

Do not spray directly on foods.

STORAGE:

1. Store in original container, tightly closed, in a safe place.

2. Protect from frost.

3. Diluted insecticide should never be stored. A fresh dilution should be prepared as necessary.

DIRECTIONS FOR USE:

Tsetse fly targets

For 3 – 4 months residual spray with a mix containing 0.1% active ingredient. Dilute 50ml concentrate per 10 litres water.

Retreat at the rate of 50mg/m² ie: dilute 25 ml per 10 litres water.

Ground Residual Application

For long term residual action on resting site vegetation apply a 0.05% a.i. spray mix, i.e. dilute 25ml concentrate per 10 litres water. Apply as coarse spray almost to point of runoff. Total application rate will typically be 2.5g/ha in savannah zones.

**TO CAUSE A HAZARD IN THE USE,
STORAGE OR DISPOSAL OF THIS
SUBSTANCE IS AN OFFENCE.**

BATCH NO.

EXPIRY DATE

COMPOSITION.....mass/vol
deltamethrin (pyrethroid)20%
inert ingredients.....80%

**FOR CONTROL OF TSETSE FLY BY APPLICATION TO
ODOUR-BAITED TARGETS AND GROUND SPRAY.**

